



SPRAY BOOM ACCESSORIES

Boom Fittings


Boom L




Boom T



Boom Cross



Boom Straight



| Part No. | Material | Price | Part No. | Material | Price | Part No. | Material | Price | Part No. | Material | Price |
|---------------|----------------|-------|---------------|----------------|-------|----------|------------|-------|----------|------------|-------|
| NTL38 | 3/8" Nylon | .78 | NTT38 | 3/8" Nylon | .99 | T38C | 3/8" Nylon | 1.31 | 38D | 3/8" Nylon | .71 |
| NTL12 | 1/2" Nylon | .87 | NTT12 | 1/2" Nylon | 1.04 | T12C | 1/2" Nylon | 1.42 | 12D | 1/2" Nylon | .71 |
| NTL34 | 3/4" Nylon | 1.03 | NTT34 | 3/4" Nylon | 1.35 | T34C | 3/4" Nylon | 1.95 | | | |
| 6471A-400TD | 3/8" Brass | 18.78 | 6472A-400TD | 3/8" Brass | 18.78 | | | | | | |
| 9191A-531TD | 1/2" Brass | 20.40 | 9192A-531TD | 1/2" Brass | 20.40 | | | | | | |
| 12201-CE-785 | 3/4" SS&Celcon | 13.26 | 12202-CE-785 | 3/4" SS&Celcon | 13.26 | | | | | | |
| 12201-CE-1062 | 1" SS&Celcon | 13.26 | 12202-CE-1062 | 1" SS&Celcon | 13.26 | | | | | | |

Nozzle Caps



| Part No. | Material | Price |
|----------|-----------|-------|
| 8027-NY | Nylon | .83 |
| 1325 | Brass | 1.31 |
| 1325-SS | Stainless | 7.95 |

Hose Shanks



| Nylon | | Stainless | |
|-----------|-------|-----------|-------|
| Part No. | Price | Part No. | Price |
| 8400-1/4" | .39 | 4251-1/4" | 6.48 |
| 8400-3/8" | .39 | 4251-3/8" | 6.48 |
| 8400-1/2" | .39 | 4251-1/2" | 6.48 |

Vari Space Clamps



| Part No. | Description | List |
|-------------|-----------------------------|------|
| 111-1/2 | Round Clamp for 1/2" Pipe | 4.44 |
| 111-3/4 | Round Clamp for 3/4" Pipe | 4.44 |
| 111-1 | Round Clamp for 1" Pipe | 4.44 |
| 111-1 1/4 | Round Clamp for 1 1/4" Pipe | 7.44 |
| 111SQ-1 | Square Clamp 1" | 5.10 |
| 111SQ-1 1/4 | Square Clamp 1 1/4" | 7.68 |
| 111SQ-1 1/2 | Square Clamp 1 1/2" | 9.14 |

TeeJet® Row Application Kits

The #23770 Adjustable Row Application Kit is Designed to Apply Postemergence Chemicals Over Crop Rows.

Features:

- ★ Arms adjustable for length and angle without removing bolts; simply loosen.
- ★ Positioning one arm at proper angle automatically sets correct angle of second arm.
- ★ Kit includes standard and Quick TeeJet nozzle bodies.
- ★ Maximum pressure 125 PSI.
- ★ Side nozzle bodies may be rotated.
- ★ Spray tips and strainers not included.



List \$75.60
Sale 25.00
 While supply lasts

Quick TeeJet®

Nozzle Bodies

QJ8355

QJ¹/₄T-NYB

QJ¹/₄TT-NYB

QJ8360-NYB

22674-¹/₄-NYB



| Part No. | Pipe Connection | |
|--|--|-------|
| QJ8355- ¹ / ₈ -NYB | ¹ / ₈ " NPT (Female) | 10.13 |
| QJ8355- ¹ / ₄ -NYB | ¹ / ₄ " NPT (Female) | 10.13 |

| Part No. | Pipe Connection | |
|---|--|------|
| QJ ¹ / ₄ T-NYB | ¹ / ₄ " NPT (Female) | 2.66 |
| QJ ¹ / ₄ TT-NYB | ¹ / ₄ " NPT (Female) | 2.66 |
| QJ8360-NYB | ¹ / ₄ " NPT (Male) | 6.89 |
| 22674- ¹ / ₄ -NYB | ¹ / ₄ " NPT (Male) | 2.66 |

Quick Jet Swivels

QJ8600

QJ8600-2



| Part No. | | Part No. | |
|--|--------|--|--------|
| QJ8600- ¹ / ₈ -NYB | \$8.13 | QJ8600-2- ¹ / ₈ -NYB | \$8.64 |
| QJ8600- ¹ / ₄ -NYB | 9.84 | QJ8600-2- ¹ / ₄ -NYB | 8.64 |

Quick Jet Retro Fit Adapters

QJT-NYB

QJT8360-NYB



| Part No. | Pipe Connection | |
|-------------|-------------------|------|
| QJT-NYB | 11/16" Female Tip | 4.99 |
| QJT8360-NYB | 11/16" Female Tip | 6.47 |

Quick TeeJet®

Vari-Space Clamps

| Part No. | To Clamp To | |
|---------------------------------------|--|--------|
| QJ111- ¹ / ₂ | ¹ / ₂ " Pipe (¹³ / ₁₆ & ⁷ / ₈ " O.D. Tubings) | \$2.57 |
| QJ111- ³ / ₄ | ³ / ₄ " Pipe (1" & 1- ¹ / ₁₆ " O.D. Tubings) | 2.57 |
| QJ111-1 | 1" Pipe (1- ¹ / ₈ ", 1- ¹ / ₄ " & 1- ³ / ₈ " O.D. Tubings) | 2.57 |
| QJ111-1 ¹ / ₄ | 1 ¹ / ₄ " Pipe (1- ⁹ / ₁₆ & 1- ¹ / ₁₆ " O.D. Tubings) | 2.57 |
| QJ111SQ- ³ / ₄ | ³ / ₄ " Square Tubing | 2.57 |
| QJ111SQ-1 | 1" Square Tubing | 2.57 |
| QJ111SQ-1 ¹ / ₄ | 1 ¹ / ₄ " Square Tubing | 2.57 |
| QJ111SQ-1 ¹ / ₂ | 1 ¹ / ₂ " Square Tubing | 2.57 |

QJ111

QJ111SQ




800-365-3070

Drop Nozzle Assemblies

QJ Cap x ¹/₄" MPT

| Part No. | |
|-----------------|-------|
| 21353-6-15"-NYB | 11.66 |
| 21353-6-24"-NYB | 11.66 |



Quick TeeJet®

Wet Boom Nozzle Bodies



**Calibration
Containers**
34 Oz \$9.65
64 Oz 12.35
128 Oz 17.85



Replacement Diaphragms
21953-EPR (EPDM) .42
21953-VI (Viton) 1.42



QJ7421

| Part No. | Size | |
|----------------|-----------|------|
| QJ7421-1/2-NYB | 1/2" Pipe | 3.93 |
| QJ7421-3/4-NYB | 3/4" Pipe | 3.93 |
| QJ7421-1-NYB | 1" Pipe | 3.93 |

QJ17560

| Part No. | Size | |
|-----------------|-----------|--------|
| QJ17560-1/2-NYB | 1/2" Pipe | \$4.37 |
| QJ17560-3/4-NYB | 3/4" Pipe | 4.37 |
| QJ17560-1-NYB | 1" Pipe | 4.37 |



QJ22187

| Part No. | Size | |
|-----------------|-----------|-------|
| QJ22187-1/2-NYB | 1/2" Pipe | 10.23 |
| QJ22187-3/4-NYB | 3/4" Pipe | 10.23 |
| QJ22187-1-NYB | 1" Pipe | 10.23 |



QJ24216

| Part No. | Size | |
|---------------|-----------|-------|
| 24216-1/2-NYB | 1/2" Pipe | 20.98 |
| 24216-3/4-NYB | 3/4" Pipe | 20.98 |
| 24216-1-NYB | 1" Pipe | 20.98 |



Swivel Jet 1" Wet Pipe



55280

Electric Shutoff for QJ Nozzle Bodies

55280-1 for QJ17560A, QJ 300 Series, 24216A, 24230A, 24231A

55280-2 for QJ350A, QJ360C, QJ360E, QJ22187, QJ8355

QJ360 Series



| Part No. | Outlets | Size | | Replacement Diaphragms | |
|---------------|---------|-----------|-------|------------------------|------|
| QJ363-1/2-NYB | 3 | 1/2" Pipe | 15.66 | 21953-EPR (EPDM) | .42 |
| QJ363-3/4-NYB | 3 | 3/4" Pipe | 15.66 | 21953-VI (Viton) | 1.42 |
| QJ363-1-NYB | 3 | 1" Pipe | 15.66 | | |
| QJ364-1/2-NYB | 4 | 1/2" Pipe | 15.66 | | |
| QJ364-3/4-NYB | 4 | 3/4" Pipe | 15.66 | | |
| QJ364-1-NYB | 4 | 1" Pipe | 15.66 | | |
| QJ365-1/2-NYB | 5 | 1/2" Pipe | 15.66 | | |
| QJ365-3/4-NYB | 5 | 3/4" Pipe | 15.66 | | |
| QJ365-1-NYB | 5 | 1" Pipe | 15.66 | | |



24231-NYB



QJ90-2-NYR

| Part No. | |
|------------|-------|
| QJ90-2-NYR | 4.34 |
| 24231-NYB | 21.54 |

Quick TeeJet®

Dry Boom Nozzle Bodies



See page 67
for boom
clamps



| Part No. | Size | Price |
|-------------------|------|--------|
| 18635-111-406-NYB | 3/8" | \$3.92 |
| 18638-111-540-NYB | 1/2" | 3.92 |
| 18719-111-785-NYB | 3/4" | 3.92 |

| Part No. | Size | Price |
|-------------------|------|--------|
| 18636-112-406-NYB | 3/8" | \$3.92 |
| 18639-112-540-NYB | 1/2" | 3.92 |
| 18720-112-785-NYB | 3/4" | 3.92 |

| Part No. | Size | Price |
|-------------------|------|--------|
| 18637-113-406-NYB | 3/8" | \$3.92 |
| 18640-113-540-NYB | 1/2" | 3.92 |
| 18721-113-785-NYB | 3/4" | 3.92 |



See page 67
for boom
clamps



Drip Free



Replacement Diaphragms
21953-EPR (EPDM) .37
21953-VI (Viton) 1.28

| Part No. | Size | Price |
|-------------------|------|---------|
| 19349-211-406-NYB | 3/8" | \$10.01 |
| 19349-211-540-NYB | 1/2" | 10.01 |
| 19349-211-785-NYB | 3/4" | 10.01 |

| Part No. | Size | Price |
|-------------------|------|---------|
| 19350-212-406-NYB | 3/8" | \$10.01 |
| 19350-212-540-NYB | 1/2" | 10.01 |
| 19350-212-785-NYB | 3/4" | 10.01 |

| Part No. | Size | Price |
|-------------------|------|---------|
| 19351-213-406-NYB | 3/8" | \$10.01 |
| 19351-213-540-NYB | 1/2" | 10.01 |
| 19351-213-785-NYB | 3/4" | 10.01 |



See page 67
for boom
clamps



Drip Free



Replacement Diaphragms
21953-EPR (EPDM) .41
21953-VI (Viton) 1.39

| Part No. | Size | Price |
|-------------------|------|--------|
| 22251-311-375-NYB | 3/8" | \$8.27 |
| 22251-311-500-NYB | 1/2" | 8.27 |
| 22251-311-750-NYB | 3/4" | 8.27 |

| Part No. | Size | Price |
|-------------------|------|--------|
| 22252-312-375-NYB | 3/8" | \$8.27 |
| 22252-312-500-NYB | 1/2" | 8.27 |
| 22252-312-750-NYB | 3/4" | 8.27 |

| Part No. | Size | Price |
|-----------------|--------|-------|
| 24230-1-540-NYB | 1/2" L | 21.54 |
| 24230-2-540-NYB | 1/2" T | 21.54 |
| 24230-1-785-NYB | 3/4" L | 21.54 |
| 24230-2-785-NYB | 3/4" T | 21.54 |

3 Outlet

4 Outlet

5 Outlet



See page 67
for boom
clamps



Drip Free


















Replacement Diaphragms
21953-EPR (EPDM) .41
21953-VI (Viton) 1.39

| Part No. | Size | Price |
|------------------|--------|---------|
| QJ363-500-1-NYB | 1/2" L | \$19.58 |
| QJ363-500-2-NYB | 1/2" T | 19.58 |
| QJ363-750-1-NYB | 3/4" L | 19.58 |
| QJ363-750-2-NYB | 3/4" T | 19.58 |
| QJ363-1000-1-NYB | 1" L | 19.58 |
| QJ363-1000-2-NYB | 1" T | 19.58 |



| Part No. | Size | Price |
|------------------|--------|---------|
| QJ364-500-1-NYB | 1/2" L | \$19.58 |
| QJ364-500-2-NYB | 1/2" T | 19.58 |
| QJ364-750-1-NYB | 3/4" L | 19.58 |
| QJ364-750-2-NYB | 3/4" T | 19.58 |
| QJ364-1000-1-NYB | 1" L | 19.58 |
| QJ364-1000-2-NYB | 1" T | 19.58 |

| Part No. | Size | Price |
|------------------|--------|---------|
| QJ365-500-1-NYB | 1/2" L | \$19.58 |
| QJ365-500-2-NYB | 1/2" T | 19.58 |
| QJ365-750-1-NYB | 3/4" L | 19.58 |
| QJ365-750-2-NYB | 3/4" T | 19.58 |
| QJ365-1000-1-NYB | 1" L | 19.58 |
| QJ365-1000-2-NYB | 1" T | 19.58 |

Quick TeeJet®

| | | | | |
|---|-------------------------------|--|---|--|
|  | CP25611-*-NY .72 |  | TeeJet® Flat Spray Tips (Smaller Capacities) TT, DG, XR, TTJ, AIXR, OC | *Specify Color Black 1 White 2 Red 3 Blue 4 Green 5 Yellow 6 Brown 7 Orange 8 |
|  | CP25609-*-NY .83 |  | TeeJet® Flat Spray Tips -10 Thru -20 XR TeeJet® -10 Thru -15 | |
|  | CP25607-*-NY .83 |  | TK FloodJet® FL FullJet® TX ConeJet® TG FullJet® | |
|  | CP25597-*-NY .83 |  | TwinJet® AI TeeJet® Turbo TeeJet Induction® DG TwinJet® | |
|  | CP25599-*-NY .83 | Locating Nib  | TK FloodJet® FL FullJet® TX ConeJet® TG Full Cone | |
|  | CP25607-*-NY .83 |   D-Disc Core | Disc Core TK-VS FloodJet® Turbo FloodJet® | |
|  | QJ4676-1/4-NYR 3.82 | | Great for Mounting Gauges on Booms or Male Threaded Tips | |
|  | 19843-NYR 2.17 | | Shut Off Cap | |

QuickJet® Gaskets




Standard Gaskets

19438-EPR
(EPDM) .46

19438-VI
(Viton) 2.03













18999-EPR
(EPDM) 1.04



18999-VI
(Viton) List 6.52




D-Disc Core




TIPS & ACCESSORIES

| | | | | | |
|--|--|---|--|--|--|
| <p>TeeJet® Tapered Edge Flat Spray Tips</p>  <p>Brass \$3.46 VS 5.16 SS 8.91</p> | <p>XR TeeJet® Extended Range Flat Spray Tips</p>  <p>VS 5.79</p> | <p>DG TeeJet® Drift Gaurd Flat Spray Tips</p>  <p>VS 8.02</p> | <p>Turbo TeeJet® Tapered Edge Flat Spray Tips</p>  <p>VP 5.46</p> | <p>AI TeeJet® Air Induction Flat Spray Tips</p>  <p>VS 11.07</p> | <p>TwinJet® Flat Spray Tips</p>  <p>Brass \$5.31 VS 10.07 Even Spray 40° Brass 7.26 VS 14.06</p> |
| <p>FloodJet®</p>  <p>Brass \$5.57 VS 9.87</p> | <p>Turbo FloodJet®</p>  <p>VS 10.97</p> | <p>Turbo TwinJet®</p>  <p>VP 6.54</p> | <p>Turbo TeeJet® Induction</p>  <p>VP 6.01</p> | <p>AIXR TeeJet®</p>  <p>VP 6.01</p> | <p>AITurbo TwinJet®</p>  <p>VP 6.78</p> |

| | |
|---|--|
| <p>FullJet® Wide Angle Full Cone Spray Tips</p>  <p>VS 9.86</p> | <p>ConeJet® Hollow Cone Spray Tips</p>  <p>Brass TX \$5.74 BrassTY & TZ 6.17 VS 6.43 Delavan HC 8.75</p> |
|---|--|

| | |
|--|--|
| <p>TeeJet® Flow Regulating Orifice</p>  <p>4916-Size SS 2.97</p> | <p>TeeJet® Off Center Spray Tips</p>  <p>Brass 10.88</p> |
|--|--|

| |
|---|
| <p>TeeJet® Disc Core Type Cone Spray Tips</p>  <p>Disc Material Core Material D(Size) HSS 1.43 DC-(Size) Brass 2.51 DC-(Size)-NY Nylon 1.29</p> |
|---|

|  | <p>Nozzle Strainers</p> <table border="1"> <thead> <tr> <th>Part No.</th> <th>Material</th> <th></th> </tr> </thead> <tbody> <tr><td>8079-50-PP</td><td>Poly Pro</td><td>1.14</td></tr> <tr><td>8079-80-PP</td><td>Poly Pro</td><td>1.14</td></tr> <tr><td>8079-100-PP</td><td>Poly Pro</td><td>1.14</td></tr> <tr><td>8079-200-PP</td><td>Poly Pro</td><td>1.14</td></tr> <tr><td>5053-50</td><td>Brass</td><td>2.76</td></tr> <tr><td>5053-100</td><td>Brass</td><td>2.76</td></tr> <tr><td>5053-200</td><td>Brass</td><td>2.76</td></tr> <tr><td>6051-50-SS</td><td>Stainless</td><td>11.00</td></tr> <tr><td>6051-100-SS</td><td>Stainless</td><td>11.00</td></tr> </tbody> </table> | Part No. | Material | | 8079-50-PP | Poly Pro | 1.14 | 8079-80-PP | Poly Pro | 1.14 | 8079-100-PP | Poly Pro | 1.14 | 8079-200-PP | Poly Pro | 1.14 | 5053-50 | Brass | 2.76 | 5053-100 | Brass | 2.76 | 5053-200 | Brass | 2.76 | 6051-50-SS | Stainless | 11.00 | 6051-100-SS | Stainless | 11.00 |
|---|---|----------|----------|--|---------------|----------|------|----------------|-----------|-------|------------------|----------|------|-------------------|----------|------|------------|-------|------|------------|-------|------|----------|-------|------|------------|-----------|-------|-------------|-----------|-------|
| Part No. | Material | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8079-50-PP | Poly Pro | 1.14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8079-80-PP | Poly Pro | 1.14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8079-100-PP | Poly Pro | 1.14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8079-200-PP | Poly Pro | 1.14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5053-50 | Brass | 2.76 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5053-100 | Brass | 2.76 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5053-200 | Brass | 2.76 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6051-50-SS | Stainless | 11.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6051-100-SS | Stainless | 11.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | <p>Strainer with Check Valves</p> <table border="1"> <thead> <tr> <th>Part No.</th> <th>Material</th> <th></th> </tr> </thead> <tbody> <tr><td>4193A-5-50-SS</td><td>Brass</td><td>4.87</td></tr> <tr><td>4193A-5-100-SS</td><td>Brass</td><td>4.87</td></tr> <tr><td>4193A-PP-5-50-SS</td><td>Poly Pro</td><td>3.86</td></tr> <tr><td>4193A-PP-5-100-SS</td><td>Poly Pro</td><td>3.86</td></tr> </tbody> </table> | Part No. | Material | | 4193A-5-50-SS | Brass | 4.87 | 4193A-5-100-SS | Brass | 4.87 | 4193A-PP-5-50-SS | Poly Pro | 3.86 | 4193A-PP-5-100-SS | Poly Pro | 3.86 | | | | | | | | | | | | | | | |
| Part No. | Material | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4193A-5-50-SS | Brass | 4.87 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4193A-5-100-SS | Brass | 4.87 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4193A-PP-5-50-SS | Poly Pro | 3.86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4193A-PP-5-100-SS | Poly Pro | 3.86 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | <p>Check Valves</p> <table border="1"> <thead> <tr> <th>Part No.</th> <th>Material</th> <th></th> </tr> </thead> <tbody> <tr><td>11750</td><td>Brass</td><td>6.45</td></tr> <tr><td>11750-SS</td><td>Stainless</td><td>20.65</td></tr> </tbody> </table> | Part No. | Material | | 11750 | Brass | 6.45 | 11750-SS | Stainless | 20.65 | | | | | | | | | | | | | | | | | | | | | |
| Part No. | Material | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11750 | Brass | 6.45 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11750-SS | Stainless | 20.65 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  | <p>Slotted Strainers</p> <table border="1"> <thead> <tr> <th>Part No.</th> <th>Material</th> <th></th> </tr> </thead> <tbody> <tr><td>4514-10</td><td>Brass</td><td>1.29</td></tr> <tr><td>4514-20</td><td>Brass</td><td>1.29</td></tr> <tr><td>4514-32</td><td>Brass</td><td>1.29</td></tr> <tr><td>4514-NY-10</td><td>Nylon</td><td>1.21</td></tr> <tr><td>4514-NY-20</td><td>Nylon</td><td>1.21</td></tr> <tr><td>4514-NY-32</td><td>Nylon</td><td>1.21</td></tr> </tbody> </table> | Part No. | Material | | 4514-10 | Brass | 1.29 | 4514-20 | Brass | 1.29 | 4514-32 | Brass | 1.29 | 4514-NY-10 | Nylon | 1.21 | 4514-NY-20 | Nylon | 1.21 | 4514-NY-32 | Nylon | 1.21 | | | | | | | | | |
| Part No. | Material | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4514-10 | Brass | 1.29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4514-20 | Brass | 1.29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4514-32 | Brass | 1.29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4514-NY-10 | Nylon | 1.21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4514-NY-20 | Nylon | 1.21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4514-NY-32 | Nylon | 1.21 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |